Final Environmental Protection Agency Approved Label Approval Dated 8 May 1990

DIRECTIONS FOR USE

It is a violation of Endoral law to use this product in a minmer inconsistent with its labeling. SHAKE WELL BEFORE USING.

To be used for treatment of hot weather and temperate military field clothing and mosquito netting only. Make all applications outdoors. DO NOT TREAT UNIFORM CAP.

For protection against mosquitoes and ticks For protection against mosquitoes and licks select an outdoor area protected from the wind, spray outer surfaces of clothing (while not being worn) and mosquito netting with a slow sweeping motion to lightly moisten the surface of the labric. Treat the clothing for a minimum of 30 seconds on each side and allow 2 hours (4 hours under humid conditions) to dry prior to being worn. Hold can at a distance of 6 to 8 inches from the object being treated. Treatment should moisten the surface of the fabric enough to cause a slight color change. Use approximately 31 of this container to treat one complete field uniform. Use remaindor on mosquito netting. uniform. Use remainder on mosquite netting.

uniform. Use remainder on mosquito netting.

Treat the entire outside surface of clothing with special attention to sock, trouser culfs, and shirt culfs. Pant culfs should be worn inside the socks or lootwear to ensure full protection against ticks and chiggers. This item must be used in conjunction with the standard issue repellent approved for application to exposed skin areas to achieve maximum protection from mosquitoes. Follow standard field uniform laundering procedures weekly. Reapply after six weeks and sixth laundering.

DISPOSAL: Beuface can was con-

DISPOSAL: Replace cap, wrap con-lainer in several layers of newspaper. Discard in trash. Do not incinerate or puncture. In field situations bury the container.

Precautionary Statements Hazards To Humans And Domestic Animals CAUTION

Avoid contact with face, eyes, or skin. Avoid breathing vapors or spray mist. Wash thoroughly after handling and before eating or smoking. Do not allow contact with treated surfaces until spray has dried. Do not allow spray to contact food, or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product.

Statement of Practical Treatment

If On Skin: Wash affected areas of skin with soap and water.

If In Eyes: Flush eyes with plenty of water. Contact a physician if irritation persists.

If Inhaled: Remove affected person to well-ventilated area, if not already done. Apply artificial respiration if indicated.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 Degrees F may cause bursting.

EPA REG. NO. 50404-5 EPA EST. NO.: 10900-OH-1 **COULSTON INTERNATIONAL** CORPORATION P.O. BOX 30 EASTON, PA 18044

NSN 6840-01-278-1336 CAGE OCAAG

PERMETHRIN ARTHROPOD REPELLENT Insect Repellent, Clothing Treatment

> 1 Each DLA400-89-D-1047 A04/90

DO NOT APPLY TO SKIN

Kills/Repels Mosquitoes and Ticks

For Use and Distribution within the Department of Defense Only

- *Military Field Clothing and Mosquito Netting Only.
- **ACTIVE INGREDIENT:

Permethrin INERT INGREDIENTS...99.5% 100.0%

- *Hot Weather (100% Cotton) and Temperate (Nylon/Cotton); 50:50) Field Uniforms Only.
- **(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2, 2-dichloroethenyl) 2, 2-dimethyl cyclopropanecarboxylate Cis/Trans ratio: min. 35% (max. 40%) (+/-) Cis and max.65% (min. 60%) (+/-) trans.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautions.

Net Contents 6 oz.

